

**Cobra<sup>®</sup> Ridge Runner<sup>®</sup>**  
**Sell Sheet**  
(RESCB171)

Updated: 10/16



*Quality You Can Trust...From  
North America's Largest Roofing Manufacturer!™*

# Cobra® RIDGE RUNNER®

**Exhaust Vent** for Roof Ridge

Learn about  
**Attic  
Ventilation**

*Protect Your Roof  
From Premature Deterioration  
By Providing Effective*

# Attic Exhaust Ventilation


Effective attic ventilation is critical for a long-lasting roof! A properly balanced attic ventilation system will help to:

- Remove excess heat and moisture to protect your roof from premature deterioration
- Avoid roof rot in your attic or roof deck
- Minimize peeling and extend the life of exterior and interior paint
- Limit the growth of harmful mold
- Safeguard your attic possessions against mildew damage
- Guard against ice damming in harsh winter climates
- Promote energy efficiency by reducing excessive heat in your attic

Cobra® Ridge Runner® Exhaust Vent is a key part of the GAF Lifetime Roofing System, and has even earned the prestigious Good Housekeeping Seal (applicable in U.S. only; see reverse).

*Stale Air Escapes Through  
Cobra® Ridge Runner®  
Exhaust Vent (Installed  
Under Ridge Cap  
Shingles)*

*Fresh Air Enters  
Attic Through  
Intake Vent At  
Soffit Or Eave*



[gaf.com](http://gaf.com)

# Cobra® RIDGE RUNNER®

## Exhaust Vent for Roof Ridge



**Includes:**  
EasyTear™ Sizing  
Feature and  
1 3/4" (44.5 mm)  
Coil Nails



Texas Department  
of Insurance Product  
Evaluation RV-29  
Florida Building Code  
ICC-ES ESR-1265

### Homeowner's Best Choice

- **Vents Your Attic...** Allows heat and condensation to escape at the most effective location—the ridge.
- **Looks Terrific...** Shingle-over design blends into your ridgeline.
- **Excellent Protection...** Helps prevent wood rot and extends the life of your exterior paint.
- **Energy Efficient...** Promotes energy efficiency by reducing excessive heat in your attic.
- **Durable...** Designed with high-impact polymers.
- **Watertight...** Passes the 110 mph wind-driven rain test.†
- **Weather Fighter™ Filter...** Helps prevent all types of weather infiltration.
- **Peace Of Mind...** Up to a Lifetime ltd. warranty when installed on Lifetime Shingle roofs.\*



†Under controlled laboratory conditions.

### Professional's Best Choice

- **Fast & Easy To Install...** Fully nail-gunable; simply roll out and fasten with included 1 3/4" (44.5 mm) coil nails. Included coil nails are Miami-Dade County Product Control approved for corrosion resistance.
- **Easy Sizing...** EasyTear™ feature allows you to hand-tear product in 12" (305 mm) increments—no knives necessary and less waste!
- **Effective...** Cobra® Ridge Runner® Exhaust Vent provides 12.5 sq. inches per lineal foot (18 cm<sup>2</sup>/0.03 lm) of net free ventilating area.
- **Maximum Performance...** Externally baffled for excellent ventilation and protection against weather infiltration.
- **Fits Better...** Extra-flexible hinge on Cobra® Ridge Runner® Exhaust Vent allows installation on 3:12 to 16:12 sloped roofs.
- **Cap Shingle Compatible...** Cobra® Ridge Runner® Exhaust Vent works with 12" (305 mm) wide ridge cap shingles.

### Balanced Ventilation Requirements

Balanced ventilation requires an equal amount of intake ventilation and exhaust ventilation. GAF recommends, at a minimum, providing 1 square foot of Net Free Ventilation for every 300 square feet of attic floor space. Consult local building codes for specific ventilation requirements in your area.

1. Calculate the total square footage of the attic floor area (round up to the next highest number). This number will determine the minimum total lineal feet of Cobra® Ridge Runner® Exhaust Vent that is needed.
2. Find the appropriate amount of Cobra® Ridge Runner® Exhaust Vent and minimum intake ventilation that corresponds to the total attic square footage.

#### Based on 1/300 Rule

Total Attic Square Footage	Recommended Length of Cobra® Ridge Runner® Exhaust Vent (Feet)	Minimum Intake Ventilation (Net Free Area in Sq. In.)
1600	31	388
1900	37	463
2200	43	533
2500	48	600
2800	54	675
3100	60	750
3400	66	825

Cobra® Ridge Runner® Exhaust Vent has 12.5 sq. in./lineal ft. of net free ventilating area.  
**NOTE:** Always have a balanced ventilation system. In no case should the amount of exhaust ventilation at the ridge exceed the amount of soffit ventilation.

More Than Just Coverage  
On Your Shingles!

Get Automatic  
**Lifetime Protection**  
On Your Entire GAF  
Roofing System!\*

When you install any GAF  
Lifetime Shingle and at least  
3 qualifying GAF accessories,  
you'll automatically get:

- A Lifetime ltd. warranty on your shingles and all qualifying GAF accessories!\*
- Non-prorated coverage for the first 10 years\*



LIFETIME SHINGLES COBRA ATTIC VENTILATION ROOF DECK PROTECTION LEAK BARRIER STARTER STRIP SHINGLES RIDGE CAP SHINGLES



\*See GAF Shingle & Accessory Ltd. Warranty for complete coverage and restrictions. The word "Lifetime" refers to the length of coverage provided by the GAF Shingle & Accessory Ltd. Warranty and means as long as the original individual owner(s) of a single-family detached residence (or the second owner(s) in certain circumstances) owns the property where the shingles and accessories are installed. For owners/structures not meeting the above criteria, Lifetime coverage is not applicable. Lifetime ltd. warranty on accessories requires the use of at least three qualifying GAF accessories and the use of Lifetime Shingles.



The GAF Lifetime Roofing System has earned the prestigious Good Housekeeping Seal, which means that Good Housekeeping stands behind the products in this system. (Refer to Good Housekeeping Magazine for its consumer protection policy. Applicable in U.S. only.)

